Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2829	(multiple or plurality or many) near5 payloads	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/15 08:32
L3	0	((multiple or plurality or many) near5 payloads) same (unique near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/15 08:33
L4	32	((multiple or plurality or many) near5 payloads) and (unique near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/15 08:33
S1	62	(encrypt\$3 or cipher\$3 or encipher\$3 or scrambl\$3) same payload same ((data transfer protocol) or (transfer protocol) or (HTTP) OR (HTTPS) or (hipertext transfer protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	·ON	2005/06/14 05:55
S2	62	((encrypt\$3 or cipher\$3 or encipher\$3 or scrambl\$3) same payload same ((data transfer protocol) or (transfer protocol) or (HTTP) OR (HTTPS) or (hipertext transfer protocol) or ((unencrypted or clear) transfer protocol)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 05:58
S3	0	((encrypt\$3 or cipher\$3 or encipher\$3 or scrambl\$3) same ((unencrypted or clear) transfer protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 05:58
S4	17	((x\$1oring) or exclusive\$1oring or ("exclusive or") or concatenat\$4) near8 (random\$3 or RAND) near8 (bit or number or integer or digit) near8 (public key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 08:56
S5	4	hash\$3 near8 ((x\$1oring) or exclusive\$1oring or ("exclusive or") or concatenat\$4) near8 (random\$3 or RAND) near8 (bit or number or integer or digit) near8 (public key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 08:58
S6	61	repeatedly near3 hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 09:03

S7	0	repeatedly near3 hash\$3 near3 ((secrete key) or (shared key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 09:04
S8	0	((repeatedly or multiple) near3 hash\$3) near3 ((secrete key) or (shared key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 09:05
S9	0	((repeatedly or multiple) near5 hash\$3) near8 ((secrete key) or (shared key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 09:05
S10	108	((repeatedly or multiple) near5 hash\$3) near8 ((secrete key) or (shared key) or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 11:04
S11	3	(diffie\$1Hellman encrypted key exchange) or ("DH\$1EKE")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 11:05
S13	0	((diffie\$1Hellman encrypted key exchange) or ("DH\$1EKE")) and payload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 11:06
S14	. 36	(((diffie\$1Hellman) same (key exchange)) or ("DH")) same payload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 11:08
S15	15	(diffie\$1Hellman) same (key exchange) same payload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 13:40
S20	0	((bits or data) near8 ("exclusive\$1or" or "exclusive\$1oring" or "x\$1oring" or "x\$1or"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 13:45
S26	313	(exclusive\$1or or exclusive\$1oring or x\$1or or x\$oring) near8 (bits or digits) and HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 13:48

S27	1	713/162.ccls. and (exclusive\$1or or exclusive\$1oring or x\$1or or x\$oring) near8 (bits or digits) and HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/14 14:18
S28	1	"09950927"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/14 13:01